



KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# AGRI-SC

## SOIL CONDITIONER

EFFECTIVE TREATMENT  
FOR ALLEVIATING SOIL COMPACTION,  
CRUSTING & POOR SOIL DRAINAGE

48% Ammonium Laureth Sulphate

5L

#### GENERAL COMMENTS:

Soil must be moist at the time of application. AGRI-SC will be fully activated following 50mm of rainfall or irrigation. This needs to be within one month of application to maximise efficacy. Light rain or irrigation on the day of application will accelerate the action. Do not apply to dry soil.

AGRI-SC can be applied anytime during the crop cycle. However, for best results, application 2-3 weeks before planting is preferred.

**APPLICATION RATE:** The general recommended rate is 300 mL/ha applied in sufficient water for adequate soil coverage (minimum 100 L/ha). Soil type and conditions will affect the rate of application. On heavy clay cropping soils, that have not responded to other treatments, apply an initial treatment of Agri-SC at 600 mL/ha. On compacted pastures, apply at 600 mL/ha. Irrigate soon after application to wash the Agri-SC off the grass and down onto the soil surface. If irrigation is not available, AGRI-SC may be applied in light rain.

**APPLICATION TIMING:** AGRI-SC can be applied anytime. However, with crops such as sorghum, cotton, cereals, vegetables, etc, the preferred application timing is 2-3 weeks before planting.

**APPLICATION METHOD:** AGRI-SC can be boom sprayed, aerial applied, or fertigated through overhead irrigation systems.

**INCORPORATION:** The efficacy of AGRI-SC is not decreased if the soil is cultivated after treatment, provided that the soil is moist at the time of application.

**COMPATIBILITY:** AGRI-SC is compatible with most commonly used agricultural chemicals and fertilisers. Do not use with pre emergent herbicides. Do not apply with products known to be injurious to the seedling before emergence. A compatibility test should be conducted

#### WARNINGS

Store the product in its original container, in a dry place away from extreme temperatures and ammonia based fertilisers. Do not store the product near food or foodstuffs.

Do not leave the cap off a full or part empty drum.

Keep out of reach of children. Harmful if swallowed. If it comes into contact with skin or eyes, wash immediately with water and seek medical assistance. Ensure correct protective clothing and gloves, as well as eye and face protection are used at all times.

Do not inhale the released gas.

Use the product in accordance with this label. If in doubt, please contact your local agronomist or Agspec representative. If local experience is unavailable, it is recommended a small scale test application is conducted before widespread use.

#### USE ONLY WHEN NECESSARY. DO NOT EXCEED APPLICATION RATES.

**Conditions of Sale:** Agspec Australia Pty Ltd (Agspec) warrants that the product within the unopened container conforms to the chemical description on this label. As the occurrence of unusual environmental conditions and the use of this product, are beyond the control of Agspec, no guarantee, expressed or implied is made as to the effects of such use of the results obtained, and in no event shall the liability of Agspec exceed the price of the product used. The purchaser must assume all risks of storage, use or application of this product. Use of this product implies that the purchaser accepts these conditions of sale.



Packed and Distributed in Australia by  
**Agspec Australia Pty Ltd.**  
ABN: 401 095 739 53  
PO, Box 1006, Mt. Gambier, S.A., 5290  
Mobile - 0427 490 551  
Tel 1800 NUFILM  
www.agspec.net

AGRI-SC® is a registered trademark of Agspec Australia Pty Ltd.



9 341200 000614

